




All About Lumbrokinase

FLCCC[®]
A L L I A N C E

The background of the image shows a close-up of earthworms in dark, moist soil. The worms are in various stages of movement, with some showing their segmented bodies and others partially obscured by the earth. The lighting is soft, highlighting the texture of the soil and the segmented nature of the worms.

Lumbrokinase is an enzyme derived from earthworms (*Lumbricus rubellus*) and is used as a dietary supplement.

FLC^{CC}[®]
A L L I A N C E

A 3D anatomical illustration of a blood vessel. A dark blue catheter is inserted into the vessel from the top. A red, irregular mass representing a blood clot is visible inside the vessel. The background is a light blue gradient.

**It has fibrinolytic properties,
meaning it helps break down
fibrin, a protein involved in blood
clot formation.**

FLCCC[®]
A L L I A N C E

Lumbrokinase is often used as a natural alternative to anticoagulant medications.

FLC^{CC}
A L L I A N C E

Lumbrokinase is primarily used to support healthy blood circulation and to help prevent or treat conditions related to excessive blood clotting.

FLC[®]CC
A L L I A N C E

A close-up photograph of a hand holding a white pill tray. The tray is filled with numerous red, oval-shaped capsules. The background is softly blurred, showing what appears to be a medical setting with a white surface.


It's sometimes used for cardiovascular health, deep vein thrombosis (DVT), stroke prevention, and as an adjunct therapy for certain conditions.

FLCCC[®]
ALLIANCE



It's important to discuss its use with a healthcare professional if you have any pre-existing conditions or are taking other medications.

FLCCC[®]
ALLIANCE




Lumbrokinase may not be suitable for everyone. It's generally not recommended for individuals with bleeding disorders, active bleeding, or those taking blood thinning medications.

FLCCC[®]
A L L I A N C E



Maintenance Dose is 20-60 milligrams (mg) per day, divided into two or three smaller doses.

FLCCC[®]
ALLIANCE



Therapeutic Dose: In some cases, higher doses ranging from 60-120 mg per day may be used under the supervision of a healthcare professional.

FLCCC[®]
A L L I A N C E

How it helps with spike-protein diseases:

- **Targets the abnormal clotting in the spike injured patient.**
- **Dissolves spike protein.**
- **Can be used in place of Nattokinase in the I-RECOVER protocol.**

FLCCC[®]
A L L I A N C E

**For more information on the
FLCCC I-RECOVER Protocol:**



<https://geni.us/irecover-postvaccine>

FLCCC[®]
A L L I A N C E

Take control of your health.

**For more information:
FLCCC.NET**

FLCCC[®]
A L L I A N C E

